L173353 IREL/08R PPE4027463



# syngenta<sub>®</sub>

Contains 0.05 g/kg (0.005% w/w) brodifacoum For professional use as a rodenticide only. Klerat Wax Blocks are active against rats and mice.

#### Directions for use

Klerat Wax Blocks is a ready-to-use wax block bait. containing 0.05 g/kg brodifacoum (0.005 % w/w), for use as a rodenticide for the control of rats and mice indoors, outdoors around buildings and in sewers by professionals for the protection of public health. animal health, stored products and materials.

# Indoors and outdoors (around buildings)

Rats: Secure 20-60g of blocks in covered tamperresistant baiting stations or covered bait points spaced 10m apart (5m apart in areas of high infestation) in areas where rats are active. Regularly check bait consumption and replace consumed or spoilt bait until consumption has stopped. Repeat treatment in situations where there is evidence of new infestation (e.g. fresh tracks or droppings).

Mice: Secure 20g block in covered tamper-resistant baiting stations or covered bait points spaced 5m apart (2m apart in high infestation areas) in areas where mice are active. Regularly check bait consumption and replace consumed or spoilt bait until consumption has stopped. Repeat treatment in situations where there is evidence of hew infestation (e.g. fresh tracks or droppings).

Rats: Secure 20-200g of blocks per station to available structures to ensure the blocks are not washed away. Regularly check bait consumption and replace consumed br spoilt bait until consumption has stopped. Repeat treatment in situations where there is evidence of new infestation

### Safety Precautions

Keep locked up and out of reach of children Keep away from food, drink and animal feeding stuffs When using do not eat, drink or smoke. Avoid contact with skin.

This material and its container must be disposed of in

a safe way.

Wear suitable gloves.

this container or label.

Keep only in the original container.

Avoid release to the environment. Refer to special instructions/safety data sheet.

Always read the label before use and follow the instructions provided.

Avoid all unnecessary exposure, in particular avoid

Product must be handled in a safe manner. Do not decant product into unlabelled containers. A thorough survey of the infested area is essential, particularly in secluded and sheltered places, to determine the extent of the infestation.

Wash hands and face after application and use of the product, and before eating, drinking or smoking. For professional users the use of appropriate personal protective equipment (PPE) is advised.

Baits must be securely deposited in baiting stations or other coverings so as to minimise the risk of consumption by other animals or children. Where possible, secure baits so that they cannot be dragged away.

Public Area Use: When the product is being used in public areas and tamper-resistant bait stations are not used, the following must be implemented. When the product is being used in public areas, the areas treated must be marked during the treatment period and a notice explaining the risk of primary or secondary poisoning by the anticoagulant as well as indicating the first measures to be taken in case of poisoning must be made available alongside the baits. When tamper-resistant bait stations are used, they should be clearly marked to show that they contain rodenticides and that they should not be disturbed.

For use in sewers where there is no risk to children. companion animals and non-target species blocks should be secured to available structures by wire to ensure the

block is not washed away.

Dead rodent bodies, remains of unused bait or any If swallowed, seek medical advice immediately and show fragments of bait found away from the bait station must be collected during all control operations to minimize the risk of consumption and poisoning to children, companion animals and other non-target animals.

It is illegal to use this product for the intentional poisoning of non-target, beneficial and protected animals.

### Storage and Disposal

Store in a cool, dry, well-ventilated place. Keep only in original container.

This material and its container must be disposed of safely. Harmful to wildlife. Dispose of packaging, remains of unused product and dead rodents in accordance with local regulations. If required, consult a professional waste operator or local authority.

## Note to Doctor/First Aid

Effects result from the inhibition of blood coagulation. through interaction with vitamin K1 recycling. Poisoning symptoms may include: bruising easily, nose or gum bleeds, blood in stools or urine, excessive bleeding from minor cuts or abrasions. Note that poisoning symptoms may develop over the course of several days.

First Aid: In case of accident, suspected exposure or if you feel unwell, seek medical advice immediately (show the label where possible).

In case of contact with skin, wash with soap and water. Remove and launder any contaminated clothing. In case of contact with eyes, remove contact lenses if present and rinse the eve slowly and gently with water for 15-20 minutes. Seek medical advice immediately. In case of ingestion or if swallowed seek medical advice immediately.

Note to Physician: Antidote - Vitamin K1 - under medical supervision

National Poison Centre information and reporting of incidents.

Poison Information: For information or to report a poisoning incident contact The National Poisons Information Centre, Beaumont Hospital, Dublin (01-8092166), retain the label for reference.

# Addition Safety Information

To avoid risks to human health and the environment. comply with the instructions for use.

Use bait containers clearly marked "poison" at all surface baiting points.

Remove all remains of bait, dead rodents during and after treatment and dispose of safely.

Prevent access to bait by children, domesticated animals and pets, (particularly cats, dogs and pigs).

# Use Biocides Safely and Sustainably.

It is illegal to use this product for uses or in a manner other than that prescribed on this label. NOT for Amateur Sale.

#### Resistance Information

The resistance status of the rodent population to brodifacoum should be taken into account when considering the choice of rodenticide to be used. Where resistance to Brodifacoum has been shown or is suspected, resistant management strategies should be employed.

'Klerat' is a Trade Mark of Syngenta.

Authorisation Holder and Marketing Company Syngenta Crop Protection AG, CH 4002, Basel, Switzerland Emergency Telephone: +44(0)1484 538444 Authorisation number IE/BPA 70295

10 kg  $\oplus$ 

Product names marked ® or ™, the ALLIANCE FRAME® the SYNGENTA Logo and the PURPOSE ICON Y are Trademarks of a Syngenta Group Company

DESCRIPTION LBL SHIPPER 190 X 140 MM

SCALE: 1:1

ISSUE NO: SYN002

ISSUE DATE: 03.08.2009

14801