

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Hexaquart XL

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Disinfectant for surfaces

1.3. Details of the supplier of the safety data sheet

Manufacturer

Company name: B. Braun Medical AG
Street: Seesatz 17
Place: CH-6204 Sempach
Responsible Department: Zentrale
Telephone: +41 (0) 58 / 258 50 00
E-Mail: info.bbmch@bbraun.com
Responsible for the safety data sheet: sds@gbk-ingelheim.de

Supplier

Company name: B. Braun Melsungen AG
Street: Carl-Braun-Straße 1
Place: D-34212 Melsungen
Responsible Department: Zentrale Service-Bereiche / Logistik und Supply Chain
Telephone: +49 (0) 5661 / 71-4422
E-Mail: logistics.service@bbraun.com

1.4. Emergency telephone number: INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture according to 1272/2008/EC

Hazard categories:

Substance or mixture corrosive to metals: Met. Corr. 1

Acute toxicity: Acute Tox. 4

Skin corrosion/irritation: Skin Corr. 1A

Serious eye damage/eye irritation: Eye Dam. 1

Hazardous to the aquatic environment: Aquatic Acute 1

Hazardous to the aquatic environment: Aquatic Chronic 2

Hazard Statements:

May be corrosive to metals.

Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes serious eye damage.

Very toxic to aquatic life.

Toxic to aquatic life with long lasting effects.

2.2. Label elements

Hazard components for labelling

N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine

Didecyltrimethylammonium chloride

D-Glucopyranose, oligomeric, C8-10 glycosides

2-amino-ethanol

Signal word:

Danger

Pictograms:



Hexaquart XL

Hazard statements

H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P301+P330+P331	IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P273	Avoid release to the environment.
P501	Dispose of contents/container to approved disposal company or local collection.

Special labelling of certain mixtures

EUH208	Contains (R)-p-Mentha-1,8-diene. May produce an allergic reaction.
--------	--

2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Concentrate with quaternary ammonium compounds and non-ionic surfactants

Hexaquart XL

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
2372-82-9	N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine			9,9 %
	219-145-8		01-2119980592-29	
	Acute Tox. 3, Skin Corr. 1A, STOT RE 2, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 1; H301 H314 H373 H400 H410			
112-27-6	2,2'-(Ethylenedioxy)diethanol			< 10 %
	203-953-2		01-2119438366-35	
7173-51-5	Didecyldimethylammonium chloride			6 %
	230-525-2	612-131-00-6	01-2119945987-15	
	Acute Tox. 4, Skin Corr. 1B, Aquatic Acute 1 (M-Factor = 10), Aquatic Chronic 2; H302 H314 H400 H411			
68515-73-1	D-Glucopyranose, oligomeric, C8-10 glycosides			< 5 %
	500-220-1		01-2119488530-36	
	Eye Dam. 1; H318			
102-60-3	1,1',1'',1'''-Ethylenedinitrilotetra-propan-2-ol			< 5 %
	203-041-4		01-2119552434-41	
	Eye Irrit. 2; H319			
141-43-5	2-Amino-ethanol			< 5 %
	205-483-3	603-030-00-8	01-2119486455-28	
	Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1B, STOT SE 3, Aquatic Chronic 3; H332 H312 H302 H314 H335 H412			
67-63-0	Propan-2-ol			< 5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE 3; H225 H319 H336			
5989-27-5	(R)-p-Mentha-1,8-diene			< 0,5 %
	227-813-5	601-029-00-7	01-2119529223-47	
	Flam. Liq. 3, Skin Irrit. 2, Skin Sens. 1, Asp. Tox. 1, Aquatic Acute 1, Aquatic Chronic 1; H226 H315 H317 H304 H400 H410			

Full text of H and EUH statements: see section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Remove contaminated soaked clothing immediately.

After inhalation

Move to fresh air in case of accidental inhalation of vapours or decomposition products.
In the event of symptoms refer for medical treatment.

After contact with skin

Wash off immediately with soap and plenty of water.
Treat subsequently with skin cream.
Consult a doctor if skin irritation persists.

After contact with eyes

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
Seek medical treatment by eye specialist.

After ingestion

Do not provoke vomiting. Consult physician. Attention in case of vomiting - acute danger of suffocating, produced by foaming ingredients. Rinse mouth. Make drink some glasses of water. The decision whether to provoke vomiting is to be taken by a physician.

4.2. Most important symptoms and effects, both acute and delayed

Causes severe skin burns and eye damage.
Harmful if swallowed.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptoms.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Product does not burn, fire-extinguishing activities according to surrounding.

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Fire may produce:

carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NO_x)
Chlorine compounds.

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective suit.

Additional information

Cool containers at risk with water spray jet.

Collect contaminated firefighting water separately, must not be discharged into the drains.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

In case of vapour formation use respirator.

Avoid contact with skin, eyes and clothing.

Ensure adequate ventilation.

Use personal protective clothing.

6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

6.3. Methods and material for containment and cleaning up

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).

Shovel into suitable container for disposal.

6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Keep container tightly closed.

Keep a good ventilation and air-exhaust at the place of work.

Avoid contact with eyes, skin or mucous membrane.

Advice on protection against fire and explosion

No special protective measures against fire required.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep containers tightly closed in a dry, well-ventilated place.

Advice on storage compatibility

Incompatible with oxidizing agents.

Further information on storage conditions

Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

Disinfectant for surfaces

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m ³	fibres/ml	Category	Origin
141-43-5	2-Aminoethanol	1	2.5		TWA (8 h)	WEL
		3	7.6		STEL (15 min)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL

8.2. Exposure controls

Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

Wash hands before breaks and immediately after handling the product.

When using do not eat or drink.

Take off immediately all contaminated clothing.

Avoid contact with eyes, skin or mucous membrane.

Eye/face protection

Eye wash bottle with pure water (EN 15154).

Safety goggles with side protection (EN 166).

Hand protection

Also suitable are gloves made of:

Natural rubber (NR; 0,5 mm): Breakthrough time > 8 h

Nitrile rubber/nitrile latex - NBR (0,35 mm): Breakthrough time > 8 h

Butyl rubber - Butyl (0,5 mm): Breakthrough time > 8 h

Fluoro-rubber - FKM (0.4 mm): Breakthrough time > 8 h

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

Skin protection

Long sleeved clothing (DIN EN ISO 6530)

Respiratory protection

In case of insufficient ventilation wear suitable respiratory equipment (gas filter type A) (EN 14387).

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	Orange
Odour:	Perfumed (scented)

pH-Value (at 20 °C): $\geq 10,5$ Concentrate

Changes in the physical state

Initial boiling point and boiling range: approx. 100 °C

Flash point: n.a.

Lower explosion limits: n.a.

Upper explosion limits: n.a.

Ignition temperature: n.a.

Vapour pressure: (at 20 °C)	approx. 23,3 hPa
Density (at 20 °C):	approx. 1,01 g/cm ³
Water solubility: (at 20 °C)	Miscible
Solvent content:	< 5 %

9.2. Other information

No data available

SECTION 10: Stability and reactivity

10.1. Reactivity

No decomposition if stored and applied as directed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Reactions with oxidizing agents.

10.4. Conditions to avoid

To avoid thermal decomposition, do not overheat.

10.5. Incompatible materials

oxidizing agents

10.6. Hazardous decomposition products

Carbon monoxide (CO), carbon dioxide (CO₂) and nitrogen oxides (NO_x)
chlorine compounds

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity

Harmful if swallowed.

No toxicological data available.

Irritation and corrosivity

Causes severe skin burns and eye damage.

Sensitising effects

Contains (R)-p-Mentha-1,8-diene. May produce an allergic reaction.

STOT-single exposure

Based on available data, the classification criteria are not met.

Severe effects after repeated or prolonged exposure

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Additional information on tests

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

Practical experience

Other observations

Ingestion may cause gastrointestinal irritation, nausea, vomiting and diarrhoea.

May cause sensitization of susceptible persons by skin contact.

SECTION 12: Ecological information

12.1. Toxicity

Ecological data are not available.

Very toxic to aquatic organisms. Toxic to aquatic life with long lasting effects.

Hexaquart XL

Revision date: 20.06.2018

Revision No: 1,1

Product code: 00056-0350

N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine

LC50/Oncorhynchus mykiss/96 h = 0,68 mg/l [OECD 203]

ErC50/Pseudokirchneriella subcapitata/96 h = 0,054 mg/l [US-EPA]

EC50/Daphnia magna/48 h = 0,073 mg/l [US-EPA]

Didecyldimethylammonium chloride [M = 10]

LC50/Pimephales promelas/96 h = 0,19 mg/l [US-EPA]

ErC50/Pseudokirchneriella subcapitata/96 h = 0,026 mg/l [OECD TG 201]

EC50/Daphnia magna/48 h = 0,062 mg/l [EPA-FIFRA]

12.2. Persistence and degradability

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

No data available

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

12.6. Other adverse effects

Hazardous water pollutant.

Further information

Do not flush into surface water or sanitary sewer system.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Advice on disposal

Where possible recycling is preferred to disposal.

Can be incinerated, when in compliance with local regulations.

Waste disposal number of waste from residues/unused products

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

Contaminated packaging

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

SECTION 14: Transport information

Land transport (ADR/RID)

14.1. UN number:

UN 1903

14.2. UN proper shipping name:

DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine,
Didecyldimethylammonium chloride)

14.3. Transport hazard class(es):

8

14.4. Packing group:

III

Hazard label:

8



Classification code:

C9

Limited quantity:

5 L / 30 kg

Excepted quantity:

E1

Hexaquart XL

Revision date: 20.06.2018

Revision No: 1,1

Product code: 00056-0350

Transport category: 3
Hazard No: 80
Tunnel restriction code: E

Inland waterways transport (ADN)

14.1. UN number: UN 1903
14.2. UN proper shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine,
Didecyldimethylammonium chloride)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Classification code: C9
Limited quantity: 5 L / 30 kg
Excepted quantity: E1

Marine transport (IMDG)

14.1. UN number: UN 1903
14.2. UN proper shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine,
Didecyldimethylammonium chloride)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Marine pollutant: Yes
Limited quantity: 5 L / 30 kg
Excepted quantity: E1
EmS: F-A, S-B

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 1903
14.2. UN proper shipping name: DISINFECTANT, LIQUID, CORROSIVE, N.O.S.
(N-(3-Aminopropyl)-N-dodecylpropane-1,3-diamine,
Didecyldimethylammonium chloride, Solution)
14.3. Transport hazard class(es): 8
14.4. Packing group: III
Hazard label: 8



Limited quantity Passenger: 1 L
Passenger LQ: Y841
Excepted quantity: E1
IATA-packing instructions - Passenger: 852
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 856
IATA-max. quantity - Cargo: 60 L

14.5. Environmental hazards

Hexaquart XL

ENVIRONMENTALLY HAZARDOUS: yes



14.6. Special precautions for user

Handle in accordance with good industrial hygiene and safety practice.

14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Information according to 2012/18/EU (SEVESO III): E1 Hazardous to the Aquatic Environment

2004/42/EC (VOC): < 5 %

Additional information

Regulation (EC) No 648/2004 (Regulation on detergents):

Non-ionic surfactants < 5 %

Ingredients subject to the labelling obligation according to SCCP:

-

National regulatory information

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

SECTION 16: Other information

Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses

ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure

IMDG = International Maritime Code for Dangerous Goods

IATA/ICAO = International Air Transport Association / International Civil Aviation Organization

MARPOL = International Convention for the Prevention of Pollution from Ships

IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals

CAS = Chemical Abstract Service

EN = European norm

ISO = International Organization for Standardization

DIN = Deutsche Industrie Norm

PBT = Persistent Bioaccumulative and Toxic

vPvB = Very Persistent and very Bio-accumulative

LD = Lethal dose

LC = Lethal concentration

EC = Effect concentration

IC = Median immobilisation concentration or median inhibitory concentration

Relevant H and EUH statements (number and full text)

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H290 May be corrosive to metals.

H301 Toxic if swallowed.

Hexaquart XL

H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
EUH208	Contains (R)-p-Mentha-1,8-diene. May produce an allergic reaction.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.

(n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)